

## Cumulative Contents

### Regular Papers

- Comparative studies on the extractability of collagen from aortas of stroke-prone spontaneously hypertensive and normotensive rats  
*S. Matsumura, H. Higashino, T. Takashima, N. Ikeda, N. Fujitani and M. Muguruma (Japan)* 1
- Alteration in molecular structure which results in disease: the Met-30 variant of human plasma transthyretin  
*J.A. Hamilton, L.K. Steinrauf, J. Liepnieks, M.D. Benson, G. Holmgren, O. Sandgren and L. Steen (USA, Sweden)* 9
- Identification of Hb Hamilton or  $\beta 11(A8)Val \rightarrow Ile$  gene by the polymerase chain reaction amplification technique  
*L. Manca, E. Cocco, G. Cossu and B. Masala (Italy)* 17
- Glucuronidation of 3'-azido-3'-deoxythymidine in human liver microsomes: enzyme inhibition by drugs and steroid hormones  
*R. Herber, J. Magdalou, M. Haumont, R. Bidault, H. van Es and G. Siest (France, Canada)* 20
- Alterations in erythrocyte membrane lipid composition and fluidity in primary lipoprotein lipase deficiency  
*B. Cantin, L.-D. Brun, C. Gagné, M.R.V. Murthy, P.-J. Lupien and P. Julien (Canada)* 25
- Accumulation of transcripts coding for prion protein in human astrocytes during infection with human immunodeficiency virus  
*W.E.G. Müller, K. Pfeifer, J. Forrest, P.G. Rytik, V.F. Eremin, S.A. Popov and H.C. Schröder (Germany, UK, Byelorussia)* 32
- Chloride transport in control and cystic fibrosis human skin fibroblast membrane vesicles  
*M. Vasseur, M. Caüzac, I. Garcia and F. Alvarado (France)* 41
- Regulation of chloride transport in cultured normal and cystic fibrosis keratinocytes  
*M. Kansen, J. Keulemans, A.T. Hoogeveen, B. Scholte, A.B. Vaandrager, A.W.M. van der Kamp, M. Sinaasappel, A.G.M. Bot, H.R. De Jonge and J. Bijman (Netherlands)* 49
- Exposure of HIV-infected cells to phospholipid leads to membrane alterations and selective growth retardation  
*F. Kerler, C. Hübner, V. Erfle and K. Buff (Germany)* 57
- Modifications in platelet membrane transport functions in insulin-dependent diabetes mellitus and in gestational diabetes  
*L. Mazzanti, R. Staffolani, R.A. Rabini, A.M. Cugini, N. Cester, C. Romanini, E. Faloia and R. De Pirro (Italy)* 65
- An EPR investigation of spin-labelled erythrocytes as a diagnostic technique for malignant hyperthermia  
*P. Cooper, J. Kudynska, H.A. Buckmaster and R. Kudynski (Canada)* 70
- Differences in the repertoires of basement membrane degrading enzymes in two carcinoma sublines with distinct patterns of site-selective metastasis  
*P. Brodt, R. Reich, L.A. Moroz and A.F. Chambers (Canada, Israel)* 77
- Hyaluronate synthesized by cultured skin fibroblasts derived from patients with Werner's syndrome  
*T. Nakamura, K. Takagaki, K. Kubo, T. Saito, M. Endo, S. Mori, N. Morisaki, Y. Saito and S. Yoshida (Japan)* 84
- Expression of different isoenzymes of adenylate deaminase in cultured human muscle cells. Relation to myoadenylate deaminase deficiency  
*A.E.M. Jacobs, A. Oosterhof, A.A.G.M. Benders and J.H. Veerkamp (Netherlands)* 91
- Proteoglycans synthesized by the hepatic granulomas isolated from schistosome-infected mice and by the granuloma-derived connective tissue cell lines  
*L.-C.F. Silva, R. Borojevic and P.A.S. Mourão (Brazil)* 96
- $^{31}P$ -NMR spectroscopy of perfused rat hepatocytes immobilized in agarose threads: application to chemical-induced hepatotoxicity  
*H. Farghali, L. Rossaro, J.S. Gavalier, D.H. Van Thiel, S.R. Dowd, D.S. Williams and C. Ho (USA)* 105

- Variations in the relative amounts of biotin-containing enzymes present in both tumorigenic and non-tumorigenic hybrid cells and other cell lines  
*M.E. Bramwell and S.M. Humm (UK)* 115
- Purification of proteinase-like and  $\text{Na}^+/\text{K}^+$ -ATPase stimulating substance from plasma of insulin-dependent diabetics and its identification as  $\alpha_1$ -antitrypsin  
*P. Finotti, P. Carraro and A. Calderan (Italy)* 122
- Characterization of ATP-diphosphohydrolase activities in the intima and media of the bovine aorta: evidence for a regulatory role in platelet activation in vitro  
*Y.P. Côté, J.G. Filep, B. Battistini, J. Gauvreau, P. Sirois and A.R. Beaudoin (Canada)* 133
- Distribution of the ATPase inhibitor proteins of mitochondria in mammalian tissues including fibroblasts from a patient with Luft's disease  
*E.W. Yamada and N.J. Huzel (Canada)* 143
- Phospholipase D signaling in ischemic heart  
*I.I. Moraru, L.M. Popescu, N. Maulik, X. Liu and D.K. Das (USA, Romania)* 148
- Steady-state transcript levels of cytochrome *c* oxidase genes during human myogenesis indicate subunit switching of subunit VIa and co-expression of subunit VIIa isoforms  
*J.-W. Taanman, N.H. Herzberg, H. De Vries, P.A. Bolhuis and C. Van den Bogert (Netherlands)* 155
- Substratum acidification by murine B16F10 melanoma cultures  
*P.R. Young and S.M. Spevacek (USA)* 163
- Erratum* 167
- Review*
- P-glycoprotein as multidrug transporter: a critical review of current multidrug resistant cell lines  
*D. Nielsen and T. Skovsgaard (Denmark)* 169
- Regular Papers*
- Molecular basis of 3-ketothiolase deficiency: identification of an AG to AC substitution at the splice acceptor site of intron 10 causing exon 11 skipping  
*T. Fukao, S. Yamaguchi, T. Orii, T. Osumi and T. Hashimoto (Japan)* 184
- Assay for L-pipecolate oxidase activity in human liver: detection of enzyme deficiency in hyperpipecolic acidemia  
*V.V. Rao and Y.-F. Chang (USA)* 189
- Restoration of mitochondrial energy-linked reactions following dexamethasone treatment of rats infected with the liver fluke *Fasciola hepatica*  
*M.J.E. Hanisch, F. Topfer, L.M. Lenton, C.A. Behm and F.L. Bygrave (Australia)* 196
- Tissue-selective action of pravastatin due to hepatocellular uptake via a sodium-independent bile acid transporter  
*K. Ziegler and W. Stünkel (Germany)* 203
- Calpain II induced insolubilization of lens  $\beta$ -crystallin polypeptides may induce cataract  
*L.L. David, J.W. Wright and T.R. Shearer (USA)* 210
- Induction of hepatic and pulmonary carucelplasmin gene expression in developing guinea pigs following premature delivery  
*C.D. Bingle, F. Kelly, O. Epstein and S.K.S. Srari (UK)* 217
- The human glutathione S-transferases: comparison of isoenzyme expression in normal and astrocytoma brain  
*R.C. Strange, A.A. Fryer, B. Matharoo, L. Zhao, J. Broome, D.A. Campbell, P. Jones, I.C. Pastor and R.V.P. Singh (UK)* 222
- Absence of tRNA-guanine transglycosylase in a human colon adenocarcinoma cell line  
*U. Gündüz, M.S. Elliott, P.H. Seubert, J.A. Houghton, P.J. Houghton, R.W. Trewyn and J.R. Katze (USA)* 229
- Use of cytosolic metabolite patterns to estimate free magnesium in normoxic myocardium  
*R.T. Mallet, Y.-H. Kang, N. Mukohara and R. Bünger (USA)* 239
- Rapid Report*
- Primaquine-induced superoxide production by  $\beta$ -thalassemic red blood cells  
*L.N. Grinberg, O. Shalev, A. Goldfarb and E.A. Rachmilewitz (Israel)* 248
- Regular Papers*
- The amino-terminal peptide of HIV-1 glycoprotein 41 lyses human erythrocytes and  $\text{CD4}^+$  lymphocytes  
*P.W. Mobley, C.C. Curtain, A. Kirkpatrick, M. Rostamkhani, A.J. Waring and L.M. Gordon (USA, Australia)* 251
- The amino-terminal peptide of HIV-1 glycoprotein 41 interacts with human erythrocyte membranes: peptide conformation, orientation and aggregation  
*L.M. Gordon, C.C. Curtain, Y.C. Zhong, A. Kirkpatrick, P.W. Mobley and A.J. Waring (USA, Australia)* 257

Molecular basis of apparent isolated 17,20-lyase deficiency: compound heterozygous mutations in the C-terminal region (Arg(496) → Cys, Gln(461) → Stop) actually cause combined 17 $\alpha$ -hydroxylase/17,20-lyase deficiency <i>T. Yanase, M.R. Waterman, M. Zachmann, J.S.D. Winter, E.R. Simpson and M. Kagimoto (USA, Switzerland, Canada)</i>	275	Sequencing of the variant thyroxine-binding globulin (TBG)-San Diego reveals two nucleotide substitutions <i>R. Bertenshaw, D. Sarne, J. Tornari, M. Weinberg and S. Refetoff (USA)</i>	307
Identification of five rare mutations including a novel frameshift mutation causing $\beta^0$ -thalassemia in Thai patients with $\beta^0$ -thalassemia/hemoglobin E disease <i>P. Winichagoon, S. Fucharoen, P. Wilairat, K. Chihara, Y. Fukumaki and P. Wasi (Thailand, Japan)</i>	280	Multiple short direct repeats associated with single mtDNA deletions <i>N.-G. Larsson and E. Holme (Sweden)</i>	311
Human prostatic aldehyde dehydrogenase of healthy controls and diseased prostates <i>M.T. Ryzlak, W. Ambroziak and C.P. Schaffner (USA)</i>	287	A single-base-pair substitution abolishes D-amino-acid oxidase activity in the mouse <i>M. Sasaki, R. Konno, M. Nishio, A. Niwa, Y. Yasumura and J. Enami (Japan)</i>	315
Cleavage of type VIII collagen by human neutrophil elastase <i>R. Kittelberger, T.J. Neale, K.T. Francky, N.S. Greenhill and G.J. Gibson (New Zealand, Australia)</i>	295	<b>Rapid Reports</b>	
Purification and identification of a CD25 expression inhibitory protein from cell-free supernatants of chronically HIV-infected promonocytic cells <i>J. C��lerier, C. Cibert, F. Barr��Sinoussi, A. Ammar and C. Jasmin (France)</i>	300	Ionic selectivity of volume-sensitive currents in human epithelial cells <i>A. Rasola, L.J.V. Galletta, D.C. Gruenert and G. Romeo (Italia, USA)</i>	319
		L-Dopa binding sites in rodent melanoma cells <i>A. Slominski and D. Pruski (USA)</i>	324
		<i>Cumulative Contents, Vol. 1138</i>	329
		<i>Author Index</i>	332